




TRUCK AND BUS RADIAL TYRES CATALOGUE

+86 198 1853 3191 – Mr. Tareq Salah
info@fasterhz.com
www.fasterhz.com



DOUBLE ROAD

Products Catalog



DOUBLE ROAD

Products Catalog



6.50R16.....	06	16.00R20.....	21
7.00R16.....	06	425/85R21.....	22
7.50R16.....	07	255/70R22.5.....	22
8.25R16.....	08	275/70R22.5.....	23
215/85R16.....	08	275/80R22.5.....	23
ST235/85R16.....	09	295/60R22.5.....	24
37*12.50R16.5LT.....	09	295/75R22.5.....	24
9.5 R 17.5	10	295/80R22.5.....	25
205/75R17.5.....	10	10R22.5.....	27
215/70R17.5.....	10	11R22.5.....	28
215/75R17.5.....	11	12R22.5.....	30
225/80R17.5.....	11	13R22.5.....	31
235/75R17.5.....	12	315/60R22.5.....	32
225/70R19.5.....	12	315/70R22.5.....	32
245/70R19.5.....	13	315/80R22.5.....	33
265/70R19.5.....	13	385/65R22.5.....	35
285/70R19.5.....	14	425/65R22.5.....	35
8.25R20.....	14	12.00R24.....	36
9.00R20.....	15	325/95R24.....	37
10.00R20.....	16	285/75R24.5.....	37
11.00R20.....	18	11R24.5.....	38
12.00R20.....	20	12R24.5.....	38
14.00R20.....	21	14.00R25.....	39
		16.00R25.....	39

6.50R16



DR801

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
DR801	6.50R16	12	5.50F	110/105	K	185	750	670

7.00R16



DR801



DR804



GRM302

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
DR801	7.00R16	14	5.50F	118/114	L	205	775	770
DR804	7.00R16	14	5.50F	118/114	L	205	775	770
GRM302	7.00R16LT	14	5.50F	118/114	M	205	775	770

7.50R16



DR801



DR804



DR810N



DR826



GRM302



GRM305

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
DR801	7.50R16LT	14	6.00G	122/118	K	215	805	770
DR804	7.50R16LT	14	6.00G	122/118	K	215	805	770
DR810N	7.50R16LT	14	6.00G	122/118	L	213	802	770
DR826	7.50R16LT	14	6.00G	122/118	L	215	805	770
GRM302	7.50R16LT	14	6.00G	122/118	L	215	805	770
GRM305	7.50R16LT	14	6.00G	122/118	K	215	805	770

8.25R16



DR801

DR804

DR805

GRM302

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
DR801	8.25R16LT	16	6.50H	128/124	L	235	855	770
DR804	8.25R16LT	16	6.50H	128/124	K	235	855	770
DR805	8.25R16LT	16	6.50H	128/124	K	235	855	770
GRM302	8.25R16LT	16	6.50H	128/124	K	235	855	770

215/85R16LT



DRK85A

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
DRK85A	215/85R16LT	14	6J	120/118	L	216	772	650

ST235/85R16



DRS61

DRS69

DRS82

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
DRS61	ST235/85R16	6 ³ / ₂ J	132/127	M	235	806	760	870
DRS69	ST235/85R16	6 ³ / ₂ J	132/127	M	235	806	760	870
DRS82	ST235/85R16	6 ³ / ₂ J	132/127	M	235	806	760	870

37x12.50R16.5LT



GRT301

GRT303

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
GRT301	37x12.50R16.5LT	10	8.25	134	N	315	925	450
GRT303	37x12.50R16.5LT	10	8.25	134	N	315	925	450

9.5R17.5



DR825



DR826

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
DR825	9.5R17.5	18	6.75	143/141	M	240	842	930
DR826	9.5R17.5	18	6.75	143/141	M	240	842	930

205/75R17.5



GRH301

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
GRH301	205/75R17.5	14	6.00	124/122	M	205	753	750

215/70R17.5



DRK80

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
DRK80	215/70R17.5	16	6.00	126/124	M	214	759	700

215/75R17.5



DR817S



GR302



GRH301

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
DR817S	215/75R17.5	16	6.00	127/124	M	211	767	750
GR302	215/75R17.5	16	6.00	127/124	M	211	767	750
		18	6.00	135/133	J	211	767	850
GRH301	215/75R17.5	14	6.00	126/124	M	211	767	750
		16	6.00	135/133	J	211	767	850

225/80R17.5



GRF328

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
GRF328	225/80R17.5	16	6.75	123/122	L	226	805	700

235/75R17.5



GR302



GR368



GRH301

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
GR302	235/75R17.5	18	6.75	143/141	J	233	797	760
GR368	235/75R17.5	18	6.75	143/141	J	233	797	760
		16	6.75	143/141	J	233	797	760
GRH301	235/75R17.5	18	6.75	143/141	J	233	797	760
		18	6.75	143/141	K	233	797	760

225/70R19.5



GRH301

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
GRH301	225/70R19.5	12	6.75	125/123	M	226	811	760
		14	6.75	128/126	M	226	811	760

245/70R19.5



GR368



GRH301

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
GR368	245/70R19.5	18	7.50	141/140	J	248	839	825
		14	7.50	133/131	L	248	839	825
GRH301	245/70R19.5	16	7.50	135/133	L	248	839	825
		18	7.50	141/140	J	248	839	825

265/70R19.5



DR862



DR812S



GRH301

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
DR862	265/70R19.5	16	7.50	140/138	M	262	867	775
DR812S	265/70R19.5	18	7.50	143/141	M	262	867	775
		14	7.50	137/134	M	262	867	775
GRH301	265/70R19.5	16	7.50	140/138	M	262	867	775
		18	7.50	143/141	J	262	867	775

285/70R19.5



GR368

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
GR368	285/70R19.5	18	8.25	150/148	J	283	895	900

8.25R20



DR801

DR804

DR805

GRM302

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
DR801	8.25R20	16	6.50	139/137	K	236	974	930
DR804	8.25R20	16	6.50	139/137	K	236	974	930
DR805	8.25R20	16	6.50	139/137	K	236	974	930
GRM302	8.25R20	14	6.50	136/134	L	236	974	830
		16	6.50	139/137	K	236	974	930

9.00R20



DR801



DR802



DR804



DR805



GR301



GRM302

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
DR801	9.00R20	16	7.00	144/142	K	258	1018	900
DR802	9.00R20	16	7.00	144/142	K	258	1015	900
DR804	9.00R20	16	7.00	144/142	J	258	1018	900
DR805	9.00R20	16	7.00	144/142	K	258	1018	900
GR301	9.00R20	16	7.00	144/142	K	258	1018	900
GRM302	9.00R20	16	7.00	144/142	K	258	1018	900

10.00R20



DR801



DR802



DR804



DR806



DR803



DR805



DR867S



GRR301



GRM302



GRM305

10.00R20

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
DR801	10.00R20	18	7.50	149/146	K	275	1052	930
DR802	10.00R20	18	7.50	149/146	L	275	1052	930
DR804	10.00R20	18	7.50	149/146	J	275	1052	900
DR806	10.00R20	18	7.50	149/146	K	275	1052	930
DR803	10.00R20	18	7.50	149/146	K	275	1052	930
DR805	10.00R20	18	7.50	149/146	K	275	1052	930
DR867S	10.00R20	18	7.50	149/146	K	275	1052	930
GRR301	10.00R20	16	7.50	146/143	K	275	1052	830
		18	7.50	149/146	K	275	1052	930
GRM302	10.00R20	16	7.50	146/143	K	275	1052	830
		18	7.50	149/146	K	275	1052	930
GRM305	10.00R20	18	7.50	149/146	J	275	1052	930

11.00R20



DR801



DR802



DR806



DR803



DR804



DR811



DR805



DR808



DR849



DR867S



GRR301



GRM302

11.00R20



GRM305



GRM306

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
DR801	11.00R20	18	8.00	152/149	K	296	1082	930
DR802	11.00R20	18	8.00	152/149	K	296	1085	930
DR806	11.00R20	18	8.00	152/149	K	296	1082	930
DR803	11.00R20	18	8.00	152/149	K	293	1085	930
DR804	11.00R20	18	8.00	152/149	K	296	1085	930
DR811	11.00R20	18	8.00	152/149	K	296	1085	930
DR805	11.00R20	18	8.00	152/149	K	296	1082	930
DR808	11.00R20	18	8.00	152/149	K	293	1085	930
DR849	11.00R20	18	8.00	152/149	L	286	1082	930
DR867S	11.00R20	18	8.00	152/149	F	293	1085	930
GRR301	11.00R20	12	8.00	143/141	K	293	1096	620
		16	8.00	150/146	K	293	1096	825
		18	8.00	152/149	K	293	1096	930
GRM302	11.00R20	18	8.00	152/149	K	293	1096	930
GRM305	11.00R20	18	8.00	152/149	K	293	1096	930
GRM306	11.00R20	18	8.00	152/149	J	293	1096	930

12.00R20



DR801



DR806



DR803



DR804



DR805



DR808



DR849



GRR301



GRM302



GRM305



GRM306

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure KPA
						S.W.	O.D.	
DR801	12.00R20	20	8.50	156/153	K	313	1122	830
DR806	12.00R20	20	8.50	156/153	K	313	1122	830
DR803	12.00R20	20	8.50	156/153	K	313	1122	830
DR804	12.00R20	20	8.50	154/151	K	313	1122	830
DR805	12.00R20	20	8.50	154/151	K	313	1122	830
DR808	12.00R20	20	8.50	156/153	K	313	1122	830
DR849	12.00R20	20	8.50	156/153	L	313	1122	830
GRR301	12.00R20	18	8.50	154/149	K	315	1136	850
GRM302	12.00R20	18	8.50	154/151	K	315	1136	830
		20	8.50	156/153	K	315	1136	900
GRM305	12.00R20	20	8.50	156/153	J	315	1136	900
GRM306	12.00R20	20	8.50	156/153	J	315	1136	900

14.00R20



DR865



GRT307



GR16

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure KPA
						S.W.	O.D.	
DR865	14.00R20	20	10.0	164/161	G	375	1240	790
GRT307	14.00R20	20	10.0	164/161	J	375	1240	790
GR16	14.00R20	20	10.0	164/161	J	375	1240	790

16.00R20



DR865

Type	Size	P.R	Std.Rim	Tread Depth (mm)	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure KPA
							S.W.	O.D.	
DR865	16.00R20	22	11.25	20.8	174/171	G	438	1309	760

425/85R21



DR777

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
DR777	425/85R21	24	12.2/2.0-21	173	C	425	1260	830

255/70R22.5



GRH301



DR818

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
GRH301	255/70R22.5	16	7.50	140/137	L	255	930	800
DR818	255/70R22.5	16	7.50	140/137	M	255	930	930

275/70R22.5



GR302



GR368



GR303

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
GR302	275/70R22.5	18	8.25	152/148	F	276	958	900
GR368	275/70R22.5	18	8.25	148/145	M	276	958	900
GR303	275/70R22.5	16	8.25	148/145	L	276	958	900

275/80R22.5



GR368



GR301



GRH301

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
GR368	275/80R22.5	18	8.25	149/146	M	276	1012	900
GR301	275/80R22.5	18	8.25	149/146	M	276	1012	900
GRH301	275/80R22.5	18	8.25	149/146	M	276	1012	900

295/60R22.5



GR368

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
GR368	295/60R22.5	18	9.00	150/147	K	292	930	900

295/75R22.5



GRH301



DR819

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
GRH301	295/75R22.5	14	9.00	144/141	M	298	1020	750
		16	9.00	146/143	M	298	1020	830
DR819	295/75R22.5	16	9.00	146/143	M	298	1020	830

295/80R22.5



DR820



DR801



T67



DR825



DR201



DR805S



DR806S



DR812S



DR814S



ST936



DR815S



GR302



GR368



GRM363

295/80R22.5



GRD88



GRF96



GRD70



STD87



GRF68



GRF28



STD90



STF77



STF60



STF36

295/80R22.5

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
DR820	295/80R22.5	18	9.00	152/148	M	298	1044	900
DR801	295/80R22.5	18	9.00	152/148	M	298	1044	900
T67	295/80R22.5	18	9.00	152/148	M	298	1044	900
DR825	295/80R22.5	18	9.00	152/148	M	298	1014	830
DR201	295/80R22.5	18	9.00	152/148	M	298	1044	900
DR805S	295/80R22.5	20	9.00	154/151	K	298	1044	900
DR806S	295/80R22.5	20	9.00	154/151	K	298	1044	900
DR812S	295/80R22.5	20	9.00	154/151	L	298	1044	900
DR814S	295/80R22.5	20	9.00	154/151	K	298	1044	900
DR815S	295/80R22.5	20	9.00	154/151	K	298	1044	900
GR302	295/80R22.5	20	9.00	154/149	J	298	1044	850
GR368	295/80R22.5	18	9.00	152/149	M	298	1044	900
GRM363	295/80R22.5	18	9.00	152/149	G	298	1044	900
		20	9.00	154/149	G	298	1044	850
ST936	295/80RR2.5	18	9.00	152/149	L	298	1044	900
GRD88	295/80R22.5	18	9.00	152/149	M	298	1052	900
GRF96	295/80R22.5	18	9.00	152/149	L	298	1044	900
GRD70	295/80R22.5	18	9.00	152/149	M	298	1044	900
STD87	295/80R22.5	18	9.00	152/149	L	298	1044	900
GRF68	295/80R22.5	18	9.00	152/149	M	298	1044	900
GRF28	295/80R22.5	18	9.00	152/149	M	298	1044	900
STD90	295/80R22.5	18	9.00	152/149	M	298	1044	900
STF77	295/80R22.5	18	9.00	152/149	L	298	1041	900
STF60	295/80R22.5	18	9.00	152/149	M	298	1044	900
STF36	295/80R22.5	18	9.00	152/149	L	298	1052	900

10R22.5



GR302

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
GR302	10R22.5	16	7.50	144/142	L	254	1019	900
		14	7.50	141/139	L	254	1019	790
		-	7.50	152	F	254	1019	1000

11R22.5



DR801



DR812



DR832



DR856



DR833



DR825



DR919



ST936

11R22.5



DR815



DR822



DR819



DR886



DR888



GR302



GR368



GR303



GR305



GRR301



GRH301



DRS08

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
DR801	11R22.5	16	8.25	146/143	M	279	1050	830
		18	8.25	149/146	L	279	1050	930
ST936	11R22.5	18	8.25	149/146	L	279	1050	930
DR856	11R22.5	18	8.25	149/146	L	279	1050	930
DR812	11R22.5	18	8.25	149/146	K	279	1050	930
DR832	11R22.5	16	8.25	146/143	M	279	1050	830
DR833	11R22.5	16	8.25	146/143	M	279	1050	830
DR825	11R22.5	16	8.25	146/143	M	279	1050	830
DR919	11R22.5	16	8.25	146/143	M	279	1050	830
DR815	11R22.5	16	8.25	146/143	M	278	1059	830
DR822	11R22.5	18	8.25	149/146	K	279	1054	830
DR819	11R22.5	16	8.25	146/143	M	279	1050	825
		18	8.25	149/146	M	279	1054	930
DR886	11R22.5	16	8.25	146/143	L	279	1054	830
DR888	11R22.5	16	8.25	146/143	L	235	1054	830
GR302	11R22.5	18	8.25	149/146	J	279	1054	930
GR303	11R22.5	18	8.25	149/146	L	279	1054	930
		14	8.25	144/142	L	279	1054	720
		16	8.25	146/143	L	279	1054	830
		16	8.25	148/145	M	279	1054	850
		18	8.25	149/146	L	279	1054	930
GR305	11R22.5	16	8.25	146/143	L	279	1054	830
GRR301	11R22.5	16	8.25	146/143	M	279	1054	830
GRH301	11R22.5	14	8.25	144/142	M	279	1054	720
		16	8.25	148/145	M	279	1054	850
DRS08	11R22.5	16	8.3	149/146	L	279	1054	930

12R22.5



DR820



DR801



DR803



DR919



GR368



GRM306



GR303

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
DR820	12R22.5	18	9.00	152/148	M	300	1084	930
DR801	12R22.5	18	9.00	152/149	M	300	1084	930
DR803	12R22.5	18	9.00	152/149	M	300	1084	930
DR919	12R22.5	18	9.00	152/148	M	300	1084	930
GR303	12R22.5	16	9.00	150/147	M	300	1085	830
		18	9.00	152/149	L	300	1085	930
GRH301	12R22.5	18	9.00	152/149	L	300	1085	930
GR368	12R22.5	18	9.00	152/149	L	300	1085	930
GRM306	12R22.5	18	9.00	152/149	K	300	1085	930

13R22.5



DR955



DR801



DR806



DR825



DR815



DR802

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
DR955	13R22.5	18	9.75	154/151	L	320	1124	850
DR801	13R22.5	18	9.75	154/151	L	320	1124	850
		20	9.75	156/153	K	320	1124	875
DR806	13R22.5	18	9.75	156/150	K	320	1124	875
DR825	13R22.5	18	9.75	154/151	L	320	1124	850
DR815	13R22.5	18	9.75	154/151	L	320	1124	830
DR802	13R22.5	18	9.75	156/150	K	324	1132	850

315/60R22.5



GRH301

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
GRH301	315/60R22.5	18	9.75	152/148	L	313	950	900

315/70R22.5



DR823



DR824



GR301



DR813

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
DR823	315/70R22.5	20	9.00	154/150	M	330	1015	900
DR824	315/70R22.5	20	9.00	154/150	M	330	1025	900
GR301	315/70R22.5	16	9.00	152/148(154/150)	M(L)	312	1014	850
		18	9.00	154/150(152/148)	L(M)	312	1014	900
DR813	315/70R22.5	20	9.00	154/150	M	330	1015	900

315/80R22.5



DR801



DR801N



DR820



DR804



DR812



DR815



DR815K



DR813



DR825



DR582



DR802



DR208



GR301

315/80R22.5

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
DR801	315/80R22.5	20	9.00	156/150	L	312	1076	870
DR801N	315/80R22.5	20	9.00	156/150	L	312	1076	870
DR820	315/80R22.5	20	9.00	156/150	L	312	1076	870
DR804	315/80R22.5	20	9.00	156/150	M	312	1076	870
DR812	315/80R22.5	20	9.00	156/150	L	312	1076	870
DR815	315/80R22.5	20	9.00	156/150	L	312	1076	870
DR815K	315/80R22.5	20	9.00	156/150	L	312	1076	870
DR813	315/80R22.5	20	9.00	156/150	L	312	1076	870
DR825	315/80R22.5	20	9.00	156/150	K(m+s)	312	1076	870
DR582	315/80R22.5	20	9.00	156/150	L	312	1076	870
DR802	315/80R22.5	20	9.00	156/150	L	312	1076	870
DR208	315/80R22.5	20	9.00	156/150	L	312	1076	870
GR301	315/80R22.5	18	9.00	154/151	M	312	1076	830
		20	9.00	156/150	L	312	1076	850

385/65R22.5



DR816

DR836

DR636

GR305

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
DR816	385/65R22.5	20	11.75	160	K	389	1072	900
DR836	385/65R22.5	20	11.75	160	K	389	1072	900
DR636	385/65R22.5	20	11.75	160	L	389	1072	900
GR305	385/65R22.5	20	11.75	160	J	389	1072	900

425/65R22.5



GR305

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
GR305	425/65R22.5	20	9.00	162/160	K	422	1124	830

12.00R24



DR801

DR802

DR809

DR839



DR582

DR806

DR838

DR810



DR804

GRM363

GRM302

DR919

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure
						S.W.	O.D.	KPA
DR801	12.00R24	20	8.50	160/157	K	313	1226	900
DR802	12.00R24	20	8.50	160/157	K	313	1226	900
DR809	12.00R24	20	8.50	160/157	K	313	1226	900
DR839	12.00R24	20	8.50	160/157	K	313	1226	900
DR582	12.00R24	20	8.50	160/157	K	313	1226	900
DR806	12.00R24	20	8.50	160/157	K	313	1226	900
DR838	12.00R24	20	8.50	160/157	K	313	1226	900
DR810	12.00R24	20	8.50	160/157	K	313	1226	900
DR804	12.00R24	20	8.50	160/157	K	313	1226	900
GRM302	12.00R24	18	8.50	158/155	K	313	1226	830
		20	8.50	160/157	K	313	1226	900
GRM363	12.00R24	18	8.50	158/155	K	313	1226	830
		20	8.50	160/157	K	313	1226	900
DR919	12.00R24	20	8.50	158/155	F	315	1226	830

325/95R24



DR866

GRM302

DRH919

DRH804

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure KPA
						S.W.	O.D.	
DR866	325/95R24	22	9.0	162/160	K	298	1228	850
GRM302	325/95R24	22	9.0	162/160	K	298	1228	830
DRH919	325/95R24	22	9.0	162/160	K	298	1228	900
DRH804	325/95R24	22	9.0	162/160	K	298	1228	900

285/75R24.5



GRH301

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure KPA
						S.W.	O.D.	
GRH301	285/75R24.5	14	8.25	144/141	M	283	1056	750
		16	8.25	147/144	M	283	1056	750

11R24.5



DR801

DR812

DR819

DR832



DR833



DR886



DR888



DR919



GR303



GRH301

Type	Size	P.R	Std.Rim	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure KPA
						S.W.	O.D.	
DR801	11R24.5	16	8.25	149/146	L	279	1104	830
		18	8.25	149/146	L	279	1104	830
DR812	11R24.5	16	8.25	149/146	M	279	1104	830
		18	8.25	149/146	M	279	1104	830
DR819	11R24.5	16	8.25	149/146	L(m+s)	279	1104	830
		18	8.25	149/146	L	279	1104	830
DR832	11R24.5	16	8.25	149/146	L(m+s)	279	1104	830
		18	8.25	149/146	L(m+s)	279	1104	830
DR833	11R24.5	16	8.25	149/146	L(m+s)	279	1104	830
		18	8.25	149/146	L(m+s)	279	1104	830
DR886	11R24.5	16	8.25	146/143	L	279	1116	830
		18	8.25	146/143	L	279	1116	830
DR888	11R24.5	16	8.25	146/143	L	235	1116	830
		18	8.25	146/143	L	235	1116	830
DR919	11R24.5	16	8.25	146/143	J	279	1116	830
		18	8.25	149/146	J	279	1104	830
GR303	11R24.5	14	8.25	146/143	L	279	1104	720
		16	8.25	149/146	L	279	1104	830
GRH301	11R24.5	14	8.25	146/143	M	279	1104	720
		16	8.25	149/146	M	279	1104	830

12R24.5



DR802

Type	Size	P.R	Std.Rim	Tread Depth (mm)	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure KPA
							S.W.	O.D.	
DR802	12R24.5	18			154/151	L			

14.00R25



DR1E3



DR2E3

Type	Size	P.R	Std.Rim	Tread Depth (mm)	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure KPA
							S.W.	O.D.	
DR1E3	14.00R25	★★★	10.00/2.0	25.3	169	B	375	1370	950
DR2E3	14.00R25	★★★	10.00/2.0	25.3	169	B	375	1370	950

16.00R25



DR2E3



DR1E4

Type	Size	P.R	Std.Rim	Tread Depth (mm)	Load Index	Spd	Inflated Dimensions (mm)		Relative Pressure KPA
							S.W.	O.D.	
DR2E3	16.00R25	★★★	11.25/2.0	31.5	180	B	430	1550	900
DR1E4	16.00R25	★★★	11.25/2.0	36.5	180	B	430	1550	900


LOAD INDEX AND CAPACITY

LOAD INDEX	KG	LOAD INDEX	KG	LOAD INDEX	KG
115	1215	136	2240	157	4125
116	1250	137	2300	158	4250
117	1285	138	2360	159	4375
118	1320	139	2430	160	4500
119	1360	140	2500	161	4625
120	1400	141	2575	162	4750
121	1450	142	2650	163	4875
122	1500	143	2725	164	5000
123	1550	144	2800	165	5150
124	1600	145	2800	166	5300
125	1650	146	3000	167	5450
126	1700	147	3075	168	5800
127	1750	148	3150	169	5800
128	1800	149	3250	170	6000
129	1850	150	3350	171	6150
130	1900	151	3450	172	6300
131	1950	152	3550	173	6500
132	2000	153	3650	174	6700
133	2060	154	3750	175	6900
134	2120	155	3675	176	7100
135	2180	156	4000	177	7300

SPEED SYMBOL AND LEVEL

SPEED SYMBOL	SPEED LEVEL	SPEED SYMBOL	SPEED LEVEL	SPEED SYMBOL	SPEED LEVEL
B	50	J	100	O	150
C	60	K	110	R	170
D	65	L	120	S	180
E	70	M	130	T	190
F	80	N	140	H	210
G	90	P	150	V	240

TUBES AND FLAPS



Hot-selling Sizes

650-16	14.00-24
700-16	1600-20
750-16	5.00-16
825-16	6.00-9
825-20	6.50-10
900-20	7.00-12
1000-20	13.6-38
1100-20	14.9-24
1200-20	16.9-24
1200-24	16.9-28
15.5-25	18.4-26
17.5-25	18.4-30
23.5-25	28*9-15
26.5-25	28*9-15
29.5-25	12.5/80-18
1400-20	16/70-24